



**Carlton  
Europe**

PROFESSIONAL TREE EQUIPMENT

A cartoon illustration of a brown bull with white horns and a red 'X' behind it, positioned to the right of the "Carlton Europe" text.

**Product Guide**

[www.mlarge.com](http://www.mlarge.com)



M Large Ltd, are one of the largest and most well renowned providers of forestry/arboricultural equipment and wood processing machinery in the UK and Ireland'.

To book a demonstration or view one of the biggest ranges of Forestry Equipment in Europe, please contact us on +44 (0)28 9034 2838 or email on [sales@mlarge.com](mailto:sales@mlarge.com)

Carlton Europe are registered to ensure that all products are fully CE compliant and with the necessary Type Approval

The Carlton stump grinder range is one of the oldest established brands in the world. Well known for their unrivalled performance, high build quality, and cutting edge technology; the Carlton stands out as the professional's choice

The 'Carlton Razor Cut' cutting system is installed on all self-propelled models as standard.

Below are the key benefits of the 'Carlton Razor Cut'

- Maximum Power to Cutting Head
- Deeper Cutting Sweep Reducing Time On Each Stump
- Simple Time Efficient Maintenance
- Cost Effective Compared To Other Systems







## Specifications - 900H

Engine Options	13 HP Honda
Cutter Depth Below Ground	230 mm
Cutter Height Below Ground	540 mm
Cutting Arc	-
Machine Width	635 mm
Machine Height	1245 mm
Machine Length	1750 mm
Total Weight	100 kg

## Specifications - SP2010

Engine Options	30HP Kohler Petrol
Cutter Depth Below Ground	610 mm
Cutter Height Below Ground	685 mm
Cutting Arc	-
Machine Width	740 mm
Machine Height	1170 mm
Machine Length	2400 mm
Total Weight	315 kg

## 900H and SP2010

Pedestrian style grinders. Designed to provide impressive cutting power in extremely tight places. From 13-27hp.



## Specifications - SP4012D

Engine Options	33/44HP Kubota Diesel
Cutter Depth Below Ground	355 mm
Cutter Height Below Ground	810 mm
Cutting Arc	1000 mm
Machine Width	915 mm
Machine Height	890 mm
Machine Length	2690 mm
Total Weight	33HP-905 kg 44HP-935 kg

## SP4012PN

Hydraulic steering and four wheel stance combines to offer unmatched stability with narrow 29" access

## SP4012P

Four-wheeled, self-propelled unit, its heavy duty design delivers maximum cutting power with engine options.

## SP4012D

Four-wheeled, self-propelled unit designed to deliver maximum diesel power, stability and manoeuvrability





## Specifications - SP5014TRX

Engine Options	33/44HP Kubota Diesel
Cutter Depth Below Ground	355 mm
Cutter Height Below Ground	860 mm
Cutting Arc	1090 mm
Machine Width	890 mm
Machine Height	1345 mm
Machine Length	2340 mm
Total Weight	33HP-950 kg 44HP-980 kg

NEW! Compact, Powerful, Reliable tracked stump grinder manoeuvrable short track base provides great access in tight areas without sacrificing power

50" Cutting arc, 14" Cutting depth  
Available with 33 HP or 44 HP diesel  
Quiet & powerful Kubota engine  
Radio remote control  
Aggressive Carlton Razor cut wheel  
35" Hydraulic scraper blade



## Specifications - SP7015TRX

Engine Options	66HP Kubota Diesel
Cutter Depth Below Ground	340 mm
Cutter Height Below Ground	1060 mm
Cutting Arc	1780 mm
Machine Width	890 mm
Machine Height	1550 mm
Machine Length	3430 mm
Total Weight	2460 kg

## 7015 TRX

With wireless remote control these are extremely productive stump grinders





**SALES | HIRE | SERVICE**

M. Large Tree Services Ltd. "Coolewell", Church Road, Newtownabbey, BT36 6DH

T. +44 (0)28 9034 2838

 Find us on Facebook

E. [sales@mlarge.com](mailto:sales@mlarge.com)

 Follow us on Twitter

W. [www.mlarge.com](http://www.mlarge.com)

 Watch us on YouTube



The machinery specification was believed to be correct at time of printing. In no event shall M. Large or its suppliers be responsible whatsoever including direct, indirect, incidental, consequential, loss of business profits or special damages due to incorrect information in this brochure. To confirm any specifications please contact M. Large on +44 (0)28 9034 2838.

