HAKKIPILKE®

CS FIREWOOD PROCESSORS



www.maaselankone.fi

MAXIMUM CIRCULAR POWER FOR LARGE TREES!

Hakki Pilke CS firewood processors with 900 or 1000 mm hard metal blades are designed for professional use. Automatic high-speed valves enable the efficient cutting and splitting of logs up to 400 mm diameter depending on the machine.

The automatic high-speed valve ensures that the fastest splitting speed is in use when the splitting power of the high-speed mode is enough. If additional power is needed, the maximum power of the splitting cylinder will automatically go on.

Adjustable splitting length increases efficiency remarkably when the stroke length is adjusted for the wood length. For example when cutting 250 mm long wood, the travel of the splitting cylinder is only half that when cutting wood of maximum length.

Full hydraulic control of the wood while cutting and splitting along with hydraulic-driven slewing output conveyor ensures the efficient usage of the Hakki Pilke CS machines.

HAKKIPILKE®






Full hydraulic and easy control.

ST.


Ø900 mm hard metal blade

- Ø 900 MM HARD METAL BLADE
- AUTOMATIC HIGH-SPEED VALVE
- ADJUSTABLE STROKE LENGTH
- ADJUSTABLE CUTTING SPEED
- ADJUSTABLE CONVEYOR SPEED











- Ø 1000 MM HARD METAL BLADE
- AUTOMATIC HIGH-SPEED VALVE
- ADJUSTABLE STROKE LENGTH
- BEST EFFICENCY WITH SHORT CUTTING LENGTHS





Features		
- domestic use	•	
- professional use	•	•
Max. log diameter	370 mm	400 mm
Wood cutting length	250-550 mm	250-550 mm
Circular saw	900 mm	1000 mm
Splitting force	8 t	10-16 1
Power source		
Tractor/electric motor	•	•
Electric motor	15 kW	15 kW
Power consumption	50 hp	50 hp
Fuse size	35 A	35 A
Machine dimensions in the transport	position	
Height	2450 mm	2530 mm
Depth	1450 mm	1750 mm
Length	2850 mm	3200 mm
Weight (kg)	1600 (tr) / 1800 (em)	1780 (tr) / 1850 (em)
Output conveyor length	4300 mm	4300 mm
Splitting blades		
2/4	•	
2/6		•
Hydraulic height adjustment	•	•
Accessories		
- 2/4 splitting blade		
- 2/6 splitting blade	•	
- 2/8 splitting blade		•
- Oil cooler 12 V DC	•	•
- Electric oil heater 300 W, 220 V AC, (for temperate	ture below -15°C)	•
- Sawdust blower	•	
- Wood holders	•	•

Manufacturer



MAASELÄN KONE OY

Importer

